

# Thank you for purchasing the theme!

**Theme:** Fluent Design Theme Edition

## Table of Contents

Theme installation in Admin Control Panel.....	2
Theme update .....	3
Style Settings .....	4
How to edit footer content? .....	4
How to add icons to nav? .....	6
1. data-navext.....	7
How do you find the application ID? .....	7
2. [href*='/test/'] - Icons for custom URLs .....	8
How to add icons to nav mobile? .....	9
Editing icon for the main tab.....	10
Editing the icon for the main tab (with sub-tabs): .....	11
Icons for sub-tabs. ....	12
How to edit the content of the highlighted block in the profile? .....	13
How to edit slider content? .....	15
Display format for topics .....	15
Display format for profiles.....	16
How can I change the category icon?.....	16
How to add icons in elUserLink and elCreateNew_menu .....	17

Bugs and suggestions should be reported only in a private message in the forums listed below. Usually, the **maximum response time is 24h** (not including weekend and holidays).

**Support in English and Polish**

## Contact:


- <https://invisioncommunity.com/profile/580858-axen-1s2k/>
- <https://forum.invisionize.pl/profile/19185-axen/>
- <https://www.pecetowicz.pl/user/axen%E2%84%A2-1s2k-36319/>
- <https://1shot2kill.pl/profile/1-axenbiceps%E2%84%A2/>

Sometimes there will be **beta versions**, which introduces new to theme. These versions will not be published as a style update and it is voluntary to download.


You can order the theme installation for free.

## Theme installation in Admin Control Panel


1. We go to ACP -> Customization -> APPEARANCE -> **Themes**,



2. Click the “Add Theme” button,




3. Go to the **"Upload Theme"** tab, and then send the **Fluent\_Design\_Theme\_Edition.xml** file to the server.




## Theme update


1. We go to ACP -> Customization -> APPEARANCE -> **Themes**,



2. We choose our theme and then click the **"Upload a new version"** button,



3. Send the **Fluent\_Design\_Theme\_Edition.xml** file to the server.



## Style Settings

You can find all style settings after editing it.




## How to edit footer content?

The footer can be edited using language keys. Especially for you, we have given up the word processor so as to maintain consistency for forums with several languages.


Thanks to this, all elements will be linguistically changeable!

Below is an example of how to edit language keys:

1. We go to ACP -> Customization -> LOCALIZATION-> **Languages**,




2. Choose the language you want to edit, and then click the "**Translate**" button,



3. Footer blocks must first be enabled in theme settings and customized for each other.
4. The forum footer has a maximum of 7 editable blocks starting from 1 and ending with the number 7.

Enter the key in the search engine: **aXenMFluent\_Footer\_Block\_Text\_{ID}**  
Instead of **{ID}** enter the block number (1-7).

- You can enter the content of the block in the field.



At the beginning of the theme installation, 4 blocks will be filled as an example of their operation.

You can edit and change them at any time.

## How to add notification icons?

Notification icons are a difficult matter for the ordinary user, so to add the application to support the modification icons, please **contact the author of the application** and ask for the notification key names "**notification\_key**".

You should also ask what are the contents of notifications.


If you receive this information, please write to me in a private message and provide notification keys. Support for the application will be available in the next release.

## How to add icons to nav?

Icons can be added from the theme settings.

- Go to its edition and then go to the "Header" tab,

Editing Fluent Design Theme Edition



- Enable the "Turn on menu icons?" option,

Turn on menu icons?

- After enabling this option, a field for entering CSS code will appear.

CSS Icons Nav

```
.ipsNavBar_primary li[data-navext="Forums"] a::before {content: "\f015";}
.ipsNavBar_primary li[data-navext="Calendar"] a::before {content: "\f073"; font-weight: 300;}
.ipsNavBar_primary li[data-navext="Guidelines"] a::before {content: "\f071";}
.ipsNavBar_primary li[data-navext="StaffDirectory"] a::before {content: "\f21b";}
.ipsNavBar_primary li[data-navext="OnlineUsers"] a::before {content: "\f0c0";}
.ipsNavBar_primary li[data-navext="Leaderboard"] a::before {content: "\f091";}
.ipsNavBar_primary li[data-navext="Clubs"] a::before {content: "\f1b3";}
.ipsNavBar_primary li[data-navext="Blogs"] a::before {content: "\f5da";}
.ipsNavBar_primary li[data-navext="Downloads"] a::before {content: "\f010"}
```

## 1. data-navext

We can add an icon using the individual application name.

Code Template:

```
.ipsNavBar_primary li[data-navext="Forums"] a::before {content: "\f015";}
```


\*The word "Forums" is the application identifier.

In place "f015" enter unicode font awesome -> <https://fontawesome.com/icons?d=gallery>




How do you find the application ID?


1. We go to your website,
2. We run the developer tools (the attached example shows the Chrome browser),




3. We mark the element to be examined,



4. We mark the tab of interest to us,



5. Our tab is marked in the HTML of the page. In the attached photo it shows where the application identifier is located.



## 2. [href\*='/test/'] - Icons for custom URLs

When we create a new page in the pages application or create a bookmark that leads to an external service the method with getting the user identifier will not work.

The URL recognition method comes in handy.

Code Template (For internal service):

```
.ipsNavBar_primary li a[href*='/forums/']::before {content: "\f015";}
```

\*Instead of **"/forums/"** enter the unique name from the URL link. The unique name can also be between other names.

This method looks for such a name in the link.

The icon will also appear if we go to a website, e.g. <http://localhost/forums/topic/3-test/page/2/>

Code Template (For an external service):

```
.ipsNavBar_primary li a[href='https://1shot2kill.pl/forums/']::before {content: "\f015";}
```

\*This method is only useful if the link comes from an external website.


In place "f015" enter unicode font awesome -> <https://fontawesome.com/icons?d=gallery>



## How to add icons to nav mobile?

Adding icons for a mobile theme is slightly different.

1. Go to its edition and then go to the "Header" tab,  
Editing Fluent Design Theme Edition




2. Enable the "Turn on menu icons?" option,  
Turn on menu icons?
3. Enable the "Turn on menu icons in mobile view?" option,  
Turn on menu icons in mobile view?
4. After enabling this option, a field for entering CSS code will appear.

CSS Icons Nav Mobile

```
.ipsDrawer_list > li > ul > li > a[href*="/calendar/"]::before {content: "\f073";font-weight: 300;}
.ipsDrawer_list > li > ul > li > a[href*="/clubs/"]::before {content: "\f1b3";}
.ipsDrawer_list > li > ul > li > a[href*="/leaderboard/"]::before {content: "\f091";}
.ipsDrawer_list > li > ul > li > a[href*="/staff/"]::before {content: "\f21b";}
.ipsDrawer_list > li > ul > li > a[href*="/guidelines/"]::before {content: "\f071";}
.ipsDrawer_list > li > ul > li > a[href*="/online/"]::before {content: "\f0c0";}

.ipsDrawer_list > li > a[href*="/blogs/"]::before {content: "\f5da";}
.ipsDrawer_list > li > a[href*="/files/"]::before {content: "\f010"}
```

## Editing icon for the main tab



Code Template:

```
.ipsDrawer_list > li > a[href*='/forums/']::before {content: "\f5da";}
```

\*Instead of "/forums/" enter the unique name from the URL link. The unique name can also be between other names.


This method looks for such a name in the link.

The icon will also appear if we go to a website, e.g. <http://localhost/forums/topic/3-test/page/2/>

In place "f5da" enter unicode font awesome -> <https://fontawesome.com/icons?d=gallery>



Editing the icon for the main tab (with sub-tabs):



Editing icons to sub-tabs requires changing the CSS code for all language combinations.


Code Template:

```
.ipsDrawer_list > li > h4 > a[data-axentitle="Browse"]::before {content: "\f5da";}
```


\*The word "Browse" should be replaced with the menu name.

**You must add the code several times for each language.**

In place "f5da" enter unicode font awesome -> <https://fontawesome.com/icons?d=gallery>



Icons for sub-tabs.



Code Template:


```
.ipsDrawer_list > li > ul > li > a[href*='/clubs/']::before {content: "\f1b3";}
```

\*Instead of "/clubs/" enter the unique name from the URL link. The unique name can also be between other names.

In place "f1b3" enter unicode font awesome -> <https://fontawesome.com/icons?d=gallery>



## How to edit the content of the highlighted block in the profile?




Contents of highlighted user blocks can also be changed in theme translations.


1. Go to ACP -> Customization -> APPEARANCE -> Themes -> **Fluent Design Theme Edition** -> Settings,




2. We go to the "Featured User" tab and make sure that the groups are properly configured and that the block is enabled,



3. We go to ACP -> Customization -> LOCALIZATION-> **Languages**,



4. Choose the language you want to edit, and then click the "**Translate**" button,




5. Enter the "**aXenProfilePro\_Title\_1**" key in the search engine if you want to edit the title or the "**aXenProfilePro\_Text\_1**" key if you want to edit its content.


\*Instead of the number **1 (Group #1)** enter the number of the block that we started in ACP

## How to edit slider content?

1. We go to ACP -> Customization -> LOCALIZATION-> **Languages**,



2. Choose the language you want to edit, and then click the **"Translate"** button,



3. In the search engine, enter **"aXenMFluent\_Slider\_TextEdit\_1"** if you want to edit text, or enter **"aXenMFluent\_Slider\_Button\_1"** if you want to edit buttons.

\*Number 1 is the number of the slider

## Display format for topics

```
<li class="aXenTopicProfile">
  <span class="aXenTopicProfile_Left"><i class="FONT AWESOME"></i> {$title}</span>
  <span class="aXenTopicProfile_Right">{$content}</span>
</li>
```


## Display format for profiles

```
<li class="ipsDataItem">
```

```
    <span class="ipsDataItem_generic ipsDataItem_size3 ipsType_break"><strong><i
class="FONT AWESOME"></i> {$title}</strong></span>
    <span class="ipsDataItem_generic">{$content}</span>
</li>
```

## How can I change the category icon?

1. Go to style editing, then go to the "Forums" tab,



2. Turn on the "Enable icons in categories?",

Enable icons in categories?

3. A text box for the CSS code will appear below,

CSS Icons Categories Forums `.cForumList .cForumRow[data-categoryid="1"] .cForumTitle::before {content: "\f641";}`


4. Code Example:

```
.cForumList .cForumRow[data-categoryid="1"] .cForumTitle::before {content: "\f641";}
```

\*Category ID can be found in the link after entering the category we are interested in, e.g.


<http://localhost:84/index.php?/forum/1-sales-feedback-and-information/>

In place "f641" enter unicode font awesome -> <https://fontawesome.com/icons?d=gallery>




## How to add icons in elUserLink and elCreateNew\_menu

1. We go to ACP -> Customization -> APPEARANCE -> **Themes**,



2. We choose the "**Profile**" tab,



- We make sure that option "Enable icons in elUserLink and elCreateNew\_menu?" is enabled,

Enable icons in elUserLink and elCreateNew\_menu?

CSS icons elUserLink

```
#elUserLink_menu li[data-menuitem='profile'] a:before {content:"\f007";}
#elUserLink_menu li[data-menuitem='messages'] a:before {content:"\f01c";}
#elUserLink_menu li[data-menuitem='promote'] a:before {content:"\f005";}
#elUserLink_menu li[data-menuitem='manageFollowed'] a:before {content:"\f1d8";}
#elUserLink_menu li[data-menuitem='attachments'] a:before {content:"\f0c6";}
#elUserLink_menu li[data-menuitem='settings'] a:before {content:"\f013";}
#elUserLink_menu li[data-menuitem='ignoredUsers'] a:before {content:"\f05e";}
#elUserLink_menu li[data-menuitem='modcp'] a:before {content:"\f044";}
#elUserLink_menu li[data-menuitem='admincp'] a:before {content:"\f022"};
```

CSS icons elCreateNew\_menu


```
#elCreateNew_menu a[href*="/forum/"]:before {content:"\f086"}
#elCreateNew_menu a[href*="/announcements/"]:before {content:"\f0a1"}
#elCreateNew_menu a[data-role="updateStatus"]:before {content:"\f086"}
#elCreateNew_menu a[href*="/files/"]:before {content:"\f019"}
#elCreateNew_menu a[href*="/gallery/"]:before {content:"\f03e"}
#elCreateNew_menu a[href*="/blogs/"]:before {content:"\f02d"}
#elCreateNew_menu a[href*="/calendar/"]:before {content:"\f073"}
#elCreateNew_menu a[href*="/articles/"]:before {content:"\f1ea"};
```

- Add CSS in option "CSS icons elUserLink",


Code Example for **elUserLink**:

```
#elUserLink_menu li[data-menuitem='profile'] a:before {content:"\f007"};
```

**profile** - Indicates the hook that you can see through the "Investigate item" option.



In place "f007" enter unicode font awesome -> <https://fontawesome.com/icons?d=gallery>



- Add CSS in option "CSS icons elCreateNew\_menu",

Code Example for **elCreateNew\_menu**:

```
#elCreateNew_menu a[href*="/files/"]:before {content:"\f019"};
```

**files** - Means the word that appears in the URL link when you enter the button.

<http://localhost/index.php?/files/submit/&do=submit&category=1>

In place "f007" enter unicode font awesome -> <https://fontawesome.com/icons?d=gallery>

